



2500 South Meridian • Oklahoma City, OK 73108-1744
 Office: 405-681-6691 • Toll Free: 800-965-7677 • Fax: 405-681-6693

DISTRIBUTORS OF **BLUE BIRD** SCHOOL BUSES

Corporate Office

Ryan Ross, General Manager

Oklahoma Bus Sales

Ryan Ross, Sales Representative

BID TO:	Mid-America Tech. Center	CONTACT:	Mr. Quinton Knighten, Transportation
ADDRESS:	PO Box H	TELEPHONE:	405-449-3391
CITY/STATE/ZIP:	Wayne, Oklahoma 73095	BID DUE DATE:	04/25/2025

GENERAL DESCRIPTION: State Bid Contract SW0110

2026 Model Year, Blue Bird VISION Conventional (Type C) School Bus, Model BBCV2610

53 Passenger Capacity

Chassis and Body built by Blue Bird Body Company

SPECIFICATIONS:

AIR CONDITIONING:	126,000 Total BTU: FRT and Rear In-wall Evaporators, TM21 Compressors and Skirt Mounted Condensers
AIR EQUIPMENT:	Engine Mounted 18.7CFM Air Compressor, ADIP Air Dryer
ALTERNATOR:	240 amp, Leece Neville, 12 volt
AXLES, SPRINGS & SHOCK ABSORBERS:	10,000# rating, oil lubed bearings
Front axle:	8,500# capacity, "Softek" Parabolic tapered leaf
Front springs:	21,000# capacity, 5.29:1 ratio, oil lubed bearings
Rear axle:	17,000# capacity, 1-Stage
Rear springs:	Direct acting, front and rear
Shocks absorbers:	112DB Safety alarm - operates while in reverse gear
BACKUP ALARM:	Three (3), 12 volt, Group 31, 2100 cca rating, enclosed with sliding tray & locking latch
BATTERIES:	Installed in Battery Box w/ Label
BATTERY DISCONNECT SWITCH:	"Meritor Quadraulic," Hydraulic System w/ Anti-lock (ABS)
BRAKE SYSTEM:	Disc type front & rear, 70MM dual system (4) pistons per caliper
	Dust Shields, Brakes, front and rear
BUMPERS:	9" diameter x 3" wide, internal expanding, transmission mounted w/ interlock
CERTIFICATION:	Front-15" x 3/16", steel - Rear -12" x 3/16", steel
CHILD REMINDER:	Colorado Rack & Kentucky Pole Test Certified
CIRCUIT PROTECTION:	Altoona Tested
COWL STEPS & GRIP HANDLES:	Blue Bird, Sleeping Child Check System, Warning Light Activated
DOORS:	Manual resetting circuit breakers on body circuits
Entrance:	Mounted LH & RH at windshield
	Double Outward type with Air Powered Controls w/ Three (3) Position Switch
	Entrance door laminated glass, tinted 70% light transmittal
	3-step step-well with black vinyl ribbed step treads
Exit:	Rear center mounted with upper/lower glass, tinted 30% light transmittal
	Retainer to hold door open
Header Pad: (Entrance & Rear Exit Door):	Black self-skinning foam
Vandal Locks:	Entrance door equipped with key lock
EMERGENCY EQUIPMENT:	Rear door equipped with sliding bolt interlock
EMERGENCY EXITS:	Per Oklahoma Requirements
Roof Hatches:	5lb Fire Extinguisher, First Aid Kit, Warning Devices, Body Fluid Cleanup Kit & Seatbelt Cutter
Push-out windows:	Two (2) Advantage combination escape hatch/vents
ENGINE:	Vertical Hinged, two (2) per side - four (4) per body
	Cummins Diesel, Model B6.7L, 2025 Emission Control
Configuration/Cylinders:	In-line 6 cylinder
Horsepower rating:	220 hp @ 2400 rpm
Torque rating:	600 lb-ft @ 1600 rpm

ENGINE COOLING SYSTEM:		De-aeration system with tank & sight glass Charge air & down-flow radiator mounted in tandem Cummins Compleat (Blue) Antifreeze (150,000 miles, / 4000hr. service) Engine warning system, low oil pressure/high water temperature Electric block heater, 750 watt, front bumper plug-in
ENGINE EQUIPMENT:		Electromagnetic fan drive , Pre-set high idle switch, Cruise Control Firewall Insulation, Driver's Area
ENGINE NOISE REDUCTION:		First two (2) ceiling panels (driver & 1st section): acoustic headlining
EXHAUST SYSTEM (Primary):		Diesel Particulate Filter (DPF), Selective Catalytic Reductant (SCR) & Diesel Exhaust Fluid (DEF) Diesel Exhaust Fluid (DEF) Tank w/ a capacity of 15 gal., locking access door & marked "DEF" Aluminized Tailpipe exits through rear bumper
FLOOR COVERING:		Heavy Duty Black Rubber with aluminum aisle trim 5/8" treated plywood subflooring over steel floor, affixed with screws 60 gallon capacity, mounted between frame rails Cummins, DCM Mounted
FUEL TANK:	Primary fuel filter / water separator:	Water in fuel sensor & primer pump Floor mounted inspection plate, locking fuel tank access door
GAUGES:		Speedometer, trip-odometer, tachometer, seven-digit odometer, clock, voltmeter Oil pressure, coolant temperature, transmission temperature, fuel gauge Glove box - below windshield, right side w/ latch & Console mounted armrest Extra height headroom, 77 inches (6'5") at center aisle
GLOVE BOX / CONSOLE:		
HEADROOM:		
HEATERS:	Left front heater & defroster: Right front heater & defroster: Rear under seat heater: Heater water booster pump: Dual defroster fans:	90,000/btu 50,000/btu 80,000/btu 12 volt, on/off switch Mounted upper center & upper left, 2-speed switch
HOOD & FENDERS:		Fiberglass tilting hood & fenders
HORNS:		Dual electric horns, Roof Mounted Air Horn
INSULATION:		Fiberglass/mineral wool, full body insulated
LETTERING:		Name of school district on beltline GVWR, Capacity & Height - Exterior Illuminated "SCHOOL BUS" Signs FRT and Rear
LIGHTS:	Backup lights: Clearance lights: Identification lights: Directional lights: Directional lights, side: Dome lights: Monitor: Pre-Trip: Step-well light: Stop & Tail lights: Strobe Light: Warning lights: Exterior rearview:	Two (2) clear lens, 4" -rear, LED Two (2) amber lens, grommet mount -front / Two (2) red lens, grommet mount -rear, LED Three (3) amber lens, grommet mount -front / Three (3) red lens, grommet mount -rear, LED Two (2) amber lens -front, fender mounted / Two (2) amber lens, 7" -rear, LED One (1) amber lens, per side, LED Two rows, mounted above passenger seats, 15-candle power Single dome light for driver's area, separate switch Doran 16-light monitor mounted in driver area Exterior Light Test w/ Switch Interior, operates with door control, LED Two (2) red lens, 4" & Two (2) red lens, 7" -rear, LED Rear roof mounted, LED wired to separate switch Backup Lights (LED) mounted near rear wheelhouse - LH and RH sides Eight (8) light system, non-sequential, LED with hoods ROSCO, Open View (ES) Split Mirror System, 7"x10" Flat Mirror & 7"x 10" Convex Mirror Rearview exterior mirrors have black powder coated steel brackets ROSCO, Eye-Max-LP Asymmetric Shaped Mirrors Bell-Mount brackets for Cross-view Mirrors All exterior mirrors are electrically heated, Rearview (exterior) are heated & remote controlled 6"x30" flat mirror, padded edge Black rubber mud flaps, front and rear Black rubber fenders at rear wheel-housing opening National School Bus Yellow with black trim
MIRRORS:	Exterior cross-view: Interior rearview:	
MUD FLAPS & FENDERS:		Black rubber mud flaps, front and rear Black rubber fenders at rear wheel-housing opening National School Bus Yellow with black trim
PAINT:	Exterior: Exterior roof: Warranty (Paint):	White Two (2) year discoloration & Five (5) year adhesion
PANELS:	Exterior: Interior	Side, 20-gauge, 19/3/4" Skirts Roof sheets, constructed of 20-gauge galvanized steel (window header to window header) Ceiling Panels: 22-gauge steel, double-hemmed w/ rivet installation (No screws) 12 volt, mounted in switch panel, for cell phone, etc. AM-FM-MP3-USB-AUX-BT-PA Radio with eight (8) interior speakers 3M™ reflective vinyl, yellow Side & rear marker strips - marker strip surrounds each emergency exit
POWER SOCKET:		
RADIO:		
REFLECTIVE TAPE:		
RUB RAILS:		Four (4) double-ribbed, 16-gauge steel exterior body rub rails, painted black DOT approved High Back School Bus Bench Seats Grey Fire Block Upholstery
SEATS:	Passenger: Upholstery: Driver:	National Hi-back seat w/ Air Powered pedestal & RH armrest Charcoal Cloth Upholstery, Orange shoulder harness & lap belt restraint Hydraulic power, tilt & telescoping wheel , 50 degree wheel cut Illuminated LED Stop Arm, Electric
STEERING:		
STOPARM:		
SWITCHES:		Rocker type switches w/ latching noise suppression switch
TIRES & RIMS:	Front: Rear: Rims:	11R22.5, Goodyear Tubeless Radial, LRH, Highway tread 11R22.5, Goodyear Tubeless Radial, LRH, Highway tread 22.5 x 8.25, 10-Stud, Hub Piloted, Disc Rims
TIRE PRESURE MONITOR SYSTEM:		Bendix Smarttire System w/ (6) Wheel Bus includes antenna kit
TOW HOOKS:		Dual hooks, front and rear, chassis frame mounted
TRANSMISSION:		Allison Electronic Automatic, Model 2500 PTS w/SEM - TCM Programmed for Performance 5 speeds forward with overdrive - TranSynd® synthetic transmission fluid External transmission oil filter, Transmission oil cooler Underneath body fully undercoated
UNDERCOATING:		
VIDEO SURVEILLANCE SYSTEM:		Gatekeeper Digital Camera System w/ four (4) interior lens & one (1) Stop Arm Lens Gatekeeper V12 360 Degree Exterior Camera System
WINDOWS:	Side, split sash: Rear, fixed panel: Entrance Door-& Driver Window:	Tinted to allow 30% light transmittal Tinted to allow 30% light transmittal Tinted to allow 70% light transmittal Two (2) piece curved, shaded safety plate Electric, intermittent speed, w/washers Multiplex chassis wiring w/ LED readout on module Colored and continuously number coded in molding on top of side windows 217" wheelbase
WINDSHIELD:		
WINDSHIELD WIPERS:		
WIRING:	Chassis: Body:	
WHEELBASE/TURNING RADIUS:		

WARRANTY: Blue Bird Body & Chassis:
Allison Transmission:
Cummins Diesel Engine:

Blue Bird 5 year/100,000 mile Limited Warranty
Allison 7 year/unlimited miles Limited Warranty
Cummins 5 year/100,000 mile Limited Warranty

This Blue Bird School Bus meets the State of Oklahoma and Federal School Bus requirements, effective for date of manufacture.

TOTAL UNIT COST, FOB: School----- **\$143,164.00, per unit**

State Bid Contract ID #: SW110
Ross Transportation Tax ID#: 736017987
Supplier ID#: 0000072723

- A-1.4, Type -C (49 - 54 Passenger) - \$104,942.00
- A.8.1.4 - Air Conditioner
- A.8.1.1 - Chassis - 2025EPA Emission Control, 220HP/600lb/ft, Engine Mounted Air Compressor, ADIP Air Dryer
- A.8.1.2 - Body - Blue Bird 2026MY Increase, Air Driver's Seat, Air Entrance Door & Air Horn
- A.8.1.3 - "Dealer Installed Options" - Gatekeeper (3) Interior Lens & (1) Stop Arm Camera System
- A.8.1.3 - "Dealer Installed Options" - Tire Pressure Monitor (6) Wheel
- A.8.1.3 - "Dealer Installed Options" - Gatekeeper V12 360 Degree Exterior Camera System
- A.8.1.3 - "Dealer Installed Options" - Illuminated "SCHOOL BUS" signs & Stop Arm
- A.8.1.3 - "Dealer Installed Options" - 2025 Steel & Aluminum Tariff

ESTIMATED DELIVERY TIME: ----- **180 - 240 Days Upon PO**

----- Optional Equipment Delete: -----

A.8.1.1/2 - Delete Engine Mounted Air Compressor, ADIP Air Dryer, Air Driver's Seat, Air Entrance Door & Air Horn: ----- -\$1,765.00 deduct, per bus

A.8.1.3 - Delete Gatekeeper V12 360 Degree Exterior Camera System: ----- -\$3,608.00 deduct, per bus

*Note; Bus will come equipped with FRT and Rear Exterior Cameras Views Standard if V12360 is not installed.

A.8.1.3 - Delete Gatekeeper Stop Arm Lens and add Y35HD (5) Interior Cam: ----- -\$1,085.00 deduct, per bus

Ryan Ross
ROSS TRANSPORTATION, Inc.

BID ACCEPTED BY SCHOOL DISTRICT OFFICIAL

05/01/2025
Date of Bid

Date of Acceptance