



2500 South Meridian • Oklahoma City, OK 73108-1744  
 Office: 405-681-6691 • Toll Free: 800-965-7677 • Fax: 405-681-6693

DISTRIBUTORS OF **BLUE BIRD** SCHOOL BUSES

**Corporate Office**

Ryan Ross, General Manager

**Oklahoma Bus Sales**

Todd Miller, Sales Representative

**BID TO:** Mid-America Tech. Center  
**ADDRESS:** PO Box H  
**CITY/STATE/ZIP:** Wayne, Oklahoma 73095

**CONTACT:** Mr. Quinton Knighten, Transportation  
**TELEPHONE:** 405-449-3391  
**BID DUE DATE:** 04/25/2025

**GENERAL DESCRIPTION: State Bid Contract SW0110**

**2026 Model Year, Blue Bird VISION Conventional (Type C) School Bus, Model BBCV3310**

**77 Passenger Capacity – Diesel Powered**

**Chassis and Body manufactured by Blue Bird Body Company**

**SPECIFICATIONS:**

|  |   |
|--|---|
| <b>AIR CONDITIONER:</b>                      | <b>126,000 Total BTU: FRT and Rear IN-wall Evaporators w/ Skirt Mounted Condensers</b>  |
| <b>AIR EQUIPMENT:</b>                        | <b>Engine Mounted 18.7CFM Air Compressor, ADIP Air Dryer</b>  |
| <b>ALTERNATOR:</b>                           | <b>240 amp, Leece Neville, 12 volt</b>  |
| <b>AXLES, SPRINGS &amp; SHOCK ABSORBERS:</b> |   |
| Front axle:                                  | 12,000# rating, oil lubed bearings  |
| Front springs:                               | 10,000# capacity, "Softek" Parabolic tapered leaf   |
| Rear axle:                                   | 21,000# capacity, 5.29:1 ratio, oil lubed bearings  |
| Rear springs:                                | 21,000# capacity, 1-Stage   |
| Shocks absorbers:                            | Direct acting, front and rear   |
| <b>BACKUP ALARM:</b>                         | 112DB Safety alarm - operates while in reverse gear   |
| <b>BATTERIES:</b>                            | Three (3), 12 volt, Group 31, 2100 cca rating, enclosed with sliding tray & locking latch   |
| <b>BATTERY DISCONNECT SWITCH:</b>            | <b>Installed in Battery Box w/ Label</b>  |
| <b>BRAKE SYSTEM:</b>                         | "Meritor Quadraulic," <b>Hydraulic System</b> w/ Smarttrac Anti-lock (ABS)<br>Disc type front & rear, 70MM dual system (4) pistons per caliper<br>Dust Shields, Brakes, front and rear<br>9" diameter x 3" wide, internal expanding, transmission mounted w/ interlock<br>Front-15" x 3/16" steel, – Rear – 12" x 3/16" steel<br><b>Colorado Rack &amp; Kentucky Pole Test Certified</b><br><b>Altoona Tested</b>   |
| <b>BUMPERS:</b>                              | Parking Brake:  |
| <b>CERTIFICATION:</b>                        | <b>Blue Bird, Sleeping Child Check System, Warning Light Activated w/ Instruction Label on FRT bulkhead</b><br>Manual resetting circuit breakers on body circuits<br>Console mounted armrest<br>Mounted LH & RH at windshield   |
| <b>CHILD REMINDER:</b>                       |   |
| <b>CIRCUIT PROTECTION:</b>                   |   |
| <b>CONSOLE:</b>                              |   |
| <b>COWL STEPS &amp; GRIP HANDLES:</b>        |   |
| <b>DOORS:</b>                                | Entrance:<br>Double Outward type with <b>Air Powered Controls w/ Three (3) Position Switch</b><br>Entrance door laminated glass, tinted 70% light transmittal<br>3-step step-well with <b>black vinyl ribbed step treads</b><br>Rear center mounted with upper/lower glass, tinted 30% light transmittal<br>Retainer to hold door open<br>Black self-skinning foam<br>Entrance door equipped with key lock<br>Rear door equipped with sliding bolt lock<br><b>Included</b><br>Per Oklahoma Requirements |
|  | Exit:<br>Header Pad: (Entrance & Rear Exit Door):<br>Vandal Locks:  |
| <b>ELECTRONIC STABILITY CONTROL:</b>         |   |
| <b>EMERGENCY EQUIPMENT:</b>                  | 5lb Fire Extinguisher, First Aid Kit, Warning Devices, Body Fluid Cleanup Kit # Seatbelt Cutter   |
| <b>EMERGENCY EXITS:</b>                      | Two (2) Advantage combination escape hatch/vents<br>Vertical Hinged, two (2) per side - four (4) per body   |
|  | Roof Hatches:<br>Push-out windows:  |

| ENGINE:                      |   | Cummins Diesel, Model B6.7L, 2025 EPA Emissions Control  |
|------------------------------|---|--|
|                              | <b>Configuration/Cylinders:</b>   | In-line 6 cylinder   |
|                              | <b>Horsepower rating:</b>   | 220 hp @ 2400 rpm  |
|                              | <b>Torque rating:</b>   | 600 lb-ft @ 1600 rpm   |
| ENGINE COOLING SYSTEM:       |   | De-aeration system with tank & sight glass<br>Charge air & down-flow radiator mounted in tandem<br>Cummins Compleat (Blue) Antifreeze (150,000 miles, / 4000hr. service)<br>Electric block heater, 750 watt, front bumper plug-in<br>Electromagnetic fan drive, Pre-set high idle switch, Cruise Control<br>Firewall Insulation, Driver's Area<br>Front (2) ceiling panels (driver & 1st section), acoustic headlining   |
| ENGINE NOISE REDUCTION:      |   | Diesel Particulate Filter (DPF), Selective Catalytic Reductant (SCR) & Diesel Exhaust Fluid (DEF)<br>Diesel Exhaust Fluid (DEF) Tank w/ a capacity of 15 gal., locking access door & marked "DEF"  |
| EXHAUST SYSTEM (Primary):    |   | Aluminized steel, tailpipe exits through rear bumper<br>Heavy Duty Black Rubber with aluminum aisle trim<br>5/8" treated plywood subflooring over steel floor, affixed with screws   |
| FLOOR COVERING:              |   | <b>100 gallon capacity, mounted between frame rails</b><br>Cummins, DCM Mounted<br>Water in fuel sensor & primer pump<br>Floor mounted inspection plate, locking fuel tank access door   |
| FUEL TANK:                   | Primary fuel filter / water separator:  | Speedometer, trip-odometer, tachometer, seven-digit odometer, clock, voltmeter<br>Oil pressure, coolant temperature, transmission temperature, fuel gauge<br>Extra height headroom, 77 inches (6'5") at center aisle   |
| GAUGES:                      |   | 12 volt, on/off switch<br>Mounted upper center & upper left, 2-speed switch<br>Fiberglass tilting hood & fenders   |
| HEADROOM:                    |   | Dual electric horns and <b>Roof Mounted Air Horn</b><br>Fiberglass/mineral wool, full body insulated<br>Name of school district on beltline<br><b>GVWR, Capacity &amp; Height – Exterior Illuminated "SCHOOL BUS" Signs FRT and Rear</b>   |
| HEATERS:                     | Left front heater & defroster:<br>Right front heater & defroster:<br>Rear under seat heater:<br>Heater water booster pump:<br>Dual defroster fans:  | 90,000/btu<br>50,000/btu<br>80,000/btu   |
| HOOD & FENDERS:              |   |  |
| HORNS:                       |   |  |
| INSULATION:                  |   |  |
| LETTERING:                   |   |  |
| LIGHTS:                      | Backup lights:<br>Clearance lights:<br>Identification lights:<br>Directional lights:<br>Directional lights, side:<br>Dome lights:<br><br><b>Pre-Trip:</b><br>Step-well light:<br>Stop & Tail lights:<br>Warning lights:<br><b>Strobe Light:</b> | Two (2) clear lens, 4" -rear, LED<br>Two (2) amber lens, grommet mount -front / Two (2) red lens, grommet mount -rear, LED<br>Three (3) amber lens, grommet mount -front / Three (3) red lens, grommet mount -rear, LED<br>Two (2) amber lens -front, fender mounted / Two (2) amber lens, 7" -rear, LED<br>One (1) amber lens, per side, LED<br>Two rows, mounted above passenger seats, 15-candle power<br>Single dome light for driver's area, separate switch<br><b>Exterior Light Test w/ Switch</b><br>Interior, operates with door control, LED<br>Two (2) red lens, 4" & Two (2) red lens, 7" -rear, LED<br><b>Eight (8) light system, non-sequential, LED with hoods Rear Roof Mounted, LED, wired to separate Switch</b><br>Backup Lights (LED) mounted near rear wheelhouse – LH and RH sides<br>ROSCO, Open View (ES) Split Mirror System, 7"x10" Flat Mirror & 7"x 10" Convex Mirror<br>Rearview exterior mirrors have black powder coated steel brackets<br>ROSCO, Eye-Max-LP Asymmetric Shaped Mirrors<br>Bell-Mount brackets for Cross-view Mirrors<br><b>All exterior mirrors are electrically heated, Rearview (exterior) are heated &amp; remote controlled</b><br>6"x30" flat mirror, padded edge<br>Black rubber mud flaps, front and rear<br>Black rubber fenders at rear wheel-housing opening<br>National School Bus Yellow with black trim<br><b>White</b><br><b>Two (2) year discoloration &amp; Five (5) year adhesion</b>  |
| MIRRORS:                     | Exterior rearview:<br><br>Exterior cross-view:<br><br>Interior rearview:  |  |
| MUD FLAPS & FENDERS:         |   |  |
| PAINT:                       | Exterior:<br><b>Exterior roof:</b><br><b>Warranty (Paint):</b>  |  |
| PANELS:                      | Exterior:<br><br>Interior   | Side, 20-gauge, 19/3/4" Skirts<br>Roof sheets, constructed of 20-gauge galvanized steel (window header to window header)<br>Ceiling panels: 22-gauge steel, double-hemmed w/ rivet installation (No screws)<br>12 volt, mounted in switch panel, for cell phone, etc.<br>AM-FM-MP3-USB-AUX-BT-PA Radio with eight (8) interior speakers<br>3M™ reflective vinyl, yellow<br>Side & rear marker strips - marker strip surrounds each emergency exit<br>Four (4) double-ribbed, 16-gauge steel exterior body rub rails, <b>painted black</b><br>DOT approved High Back School Bus Bench Seats<br>Grey Fire Block Upholstery<br>National Hi-back seat w/ <b>Air Powered pedestal &amp; RH armrest</b><br>Charcoal Cloth Upholstery, Bright Orange Shoulder harness & lap belt restraint<br><b>Hydraulic power, tilt &amp; telescoping wheel, 50 degree wheel cut</b><br><b>Illuminated LED Stop Arm, Electric</b><br>6.5"X30", Green plexi-glass, padded edge<br>Rocker type switches w/ latching noise suppression switch<br>11R22.5, <b>Goodyear Tubeless Radial, LRH, Highway tread</b><br>11R22.5, <b>Goodyear Tubeless Radial, LRH, Highway tread</b><br>22.5 x 8.25, 10-Stud, Hub Piloted, Disc Rims<br><b>Bendix Smarttire System w/ (6) Wheel Bus includes antenna kit</b><br>Dual hooks, front and rear, chassis frame mounted<br><b>Allison Electronic Automatic, Model 2500 PTS w/SEM – TCM Programmed for Performance</b><br>5 speeds forward with overdrive - TranSynd® synthetic transmission fluid<br>External transmission oil filter, Transmission oil cooler<br>Underneath body fully undercoated<br><b>Gatekeeper Digital Camera System w/ four (4) interior lens &amp; one (1) Stop Arm Lens</b><br><b>Gatekeeper V12 360 Degree Exterior Camera System</b><br>Tinted to allow 30% light transmittal<br>Tinted to allow 30% light transmittal<br>Tinted to allow 70% light transmittal<br>Two (2) piece, shaded safety plate<br>Electric, intermittent speed, w/washers<br>Multiplex chassis wiring w/ LED readout on module |
| POWER SOCKET:                |   |  |
| RADIO:                       |   |  |
| REFLECTIVE TAPE:             |   |  |
| RUB RAILS:                   |   |  |
| SEATS:                       | Passenger:<br>Upholstery:<br><b>Driver:</b>   |  |
| STEERING:                    |   |  |
| STOP ARM:                    |   |  |
| SUNVISOR:                    |   |  |
| SWITCHES:                    |   |  |
| TIRES & RIMS:                | Front:<br>Rear:<br>Rims:  |  |
| TIRE PRESURE MONITOR SYSTEM: |   |  |
| TOW HOOKS:                   |   |  |
| TRANSMISSION:                |   |  |
| UNDERCOATING:                |   |  |
| VIDEO SURVEILLANCE SYSTEM:   |   |  |
| WINDOWS:                     | Side, split sash:<br>Rear, fixed panel:<br>Entrance Door-& Driver Window:   |  |
| WINDSHIELD:                  |   |  |
| WINDSHIELD WIPERS:           |   |  |
| WIRING:                      | Chassis:  |  |

WHEELBASE: Body: Colored and continuously number coded in molding on top of side windows  
 WARRANTY: Blue Bird Body & Chassis: 273" wheelbase  
 Allison Transmission: Blue Bird 5 year/100,000 mile Limited Warranty  
 Cummins Diesel Engine: Allison 7 year/unlimited miles Limited Warranty  
 Cummins 5 year/100,000 mile Limited Warranty

-----  
 This Blue Bird School Bus meets the State of Oklahoma and Federal School Bus requirements, **effective for date of manufacture.**  
 -----

TOTAL UNIT COST, FOB: School----- **\$147,486.00, per unit**

State Bid Contract ID #: SW110  
 Ross Transportation Tax ID#: 736017987  
 Supplier ID#: 0000072723

A-1.8, Type –C (72-77 Passenger) - \$108,867.00

- A.8.1.4 – Air Conditioner
- A.8.1.1 – Chassis – 2025EPA Emission Control, 220HP/600lb/ft, Engine Mounted Air Compressor, ADIP Air Dryer
- A.8.1.2 – Body - Blue Bird 2026MY Increase, Air Driver's Seat, Air Entrance Door & Air Horn
- A.8.1.3 – "Dealer Installed Options" – Gatekeeper (3) Interior Lens & (1) Stop Arm Camera System
- A.8.1.3 – "Dealer Installed Options" – Tire Pressure Monitor (6) Wheel
- A.8.1.3 – "Dealer Installed Options" – Gatekeeper V12 360 Degree Exterior Camera System
- A.8.1.3 – "Dealer Installed Options" – Illuminated "SCHOOL BUS" signs & Stop Arm
- A.8.1.3 – "Dealer Installed Options" – 2025 Steel & Aluminum Tariff

DELIVERY TIME: ----- **180 - 240 Days Upon PO**

----- **Optional Equipment Delete:** -----

**A.8.1.1/2** – Delete Engine Mounted Air Compressor, ADIP Air Dryer, Air Driver's Seat, Air Entrance Door & Air Horn: ----- **- \$1,765.00 deduct, per bus**

**A.8.1.3** – Delete Gatekeeper V12 360 Degree Exterior Camera System: ----- **- \$3,608.00 deduct, per bus**

**\*Note; Bus will come equipped with FRT and Rear Exterior Cameras Views Standard if V12360 is not installed.**

**A.8.1.3** – Delete Gatekeeper Stop Arm Lens and add Y35HD (5) Interior Cam: ----- **- \$1,085.00 deduct, per bus**

-----

Ryan Ross  
 ROSS TRANSPORTATION, inc.

\_\_\_\_\_  
 BID ACCEPTED BY SCHOOL DISTRICT OFFICIAL

05/01/2025  
 Date of Bid

\_\_\_\_\_  
 Date of Acceptance