

CONFIG NUMBER 88771  
 CONFIG DESCR DH500-C312G 14P MFSAB  
 CONFIG REVISION COPY 88768-29  
 CONFIG REV DATE 8/23/2023  
 ORDER DESCR CB231255  
 ORDER QTY 1  
 REQ DATE LATE 2024  
 DIST NAME HOLT TRUCK  
 DIST CONTACT Chris Kennedy  
 DIST PO NUMBER ILR2022  
 DIST PO DATE 5/23/2022  
 CUST NAME CUST STOCK 2024 -FR  
 SHIP OK  
 ITEM

\$112,303.00

100-1-31-12	QTY DESCRIPTION
	1 Small graphic package
	1 Spec, FMVSS "Multifunction School Activity
110-DH500-15	Bus", meets all "School Bus" FMVSS except traffic control, >10,000# GVWR, driver plus 10 or more passengers (W/C counted as 4 pax), may be used to transport students between school and places other than home.
12324F6612W321	1 Core components, DRW high headroom model 5 section. Standard floor (with wheelwells), 76" interior headroom, 25"X78" entrance door, 96" overall width, all-galvanized-steel construction, 2014.
200-111170-21	1 Chassis Chev-US/2024/DRW 159 G3500/6.6L Gas/12300/White/AC/Tilt/Cruise/Drivers Seat Standard/Belt/ALT.KW5/AM-FM/Standard Differential/Black Wheels/Black Bumper/No Fast Idle/No Block Heater/No Spare Tire/No Speed Governor/Standard Battery
210-11-12-16	
230-200-15	1 A/C 70K ACT dual compressor, 2 fan, CS-2 skirt mount condenser, dash & EV20 in-wall evaporators, Chevy gas.
	1 Battery tie-in for Chevy units. Two batteries held in a battery box. Gas units.
	1 Bumper 10" x 3/16 galvanneal steel channel DRW, wrap around extending forward at least 12" with protecting end caps, for use with exhaust pipe routed under the bumper or to the side.

233-201-16	1	Bumper Brace to attach to frame side, DH 400/500 and DE/DH 416 models, all Gas and Diesel exhaust systems.
236-1110-16	1	Fuel system protection and preparation for Chevy gas chassis standard floor 139"WB
238-1-500-0-12	1	PARTS REQUIRED TO BUILD SPECIFIC BODY MODEL ON SPECIFIC CHASSIS BRAND (CHEVY STD 500)
240-03-12	1	Tow eyes rear only, installed on chassis frame
240-59-14	1	Fuel sending unit access cover, black diamond tread plate recessed into rubber floor to provide inspection access to fuel sending unit.
250-211-12	1	Door, entrance, black aluminum frame with full-length tempered AS2 glass for SH/DH units
260-5-16	1	Door entrance control, electric mechanism above door header, for glass doors, driver control panel mounted in doghouse. No manual cable-release.
265-212-13	1	Rear egress door, RH (curbside) hinge, Steel construction, select glass rear door upper/lower separately.
270-01-12	1	Rear door hinge continuous stainless steel
280-10-13	1	Rear Door Latch single latch at center of door, with interior red handle and exterior web style non-hitching handle.
294-01-12	1	Core electrical items for all Chevy buses including Elect. Board, switch panel, buzzer, domes, step lights, and main harness
300-51-12	1	Backup-alarm 112dBA that is activated upon placing the bus in reverse gear, wired through the ignition.
300-72-12	1	Switch for heater & fan shutdown, quickly limits interior noise, includes AM/FM radio, heater, defroster, and A/C. Does not affect windshield wipers.
305-00000-20	1	Child alert system. None.
310-2110-00-20	1	Backup camera safety system with 7" monitor mounted above window. Rosco
320-500-112-12	1	Chevy 500 exhaust thru/under the rear bumper gasoline
330-203-12	1	Endcaps fiberglass front and rear exterior for use without warning lights on DH commercial/MFSAB units
332-213-22	1	Exterior steel rear corner skins left and right, drip-rail and below emergency exit rear door for DH units
334-500-21-12	1	Exterior aluminum left and right roof skins for DRW 500 (5section) units

336-500-302-14	1	Exterior steel left and right side skins, behind and above driver skins for DH 500 (5section) units
338-1500-20-14	1	Skirts, steel below body panels for std floor DH500
339-122-21-14	1	Storage/Battery Box, steel skirt with additional steel compartment
340-02-12	1	Mud Flaps Rear DH
345-11-12	1	Entrance step drivers side, Chevy, bright aluminum diamond tread, includes flat mud flap on passenger side.
350-500-21-1-12	1	Flooring black rubber, 1/8" smooth rubber under seats, 3/16" ribbed center aisle rubber 15" wide.
355-02-11-12	1	Flooring step treads, DRW standard and elevated floor models, black ribbed tread with integral white ribbed nosing.
360-500-21-12	1	Plywood subfloor for DH/E500 units, 1/2" thick
390-04-19	1	Cover tops and sides of interior wheel well with black elastomer trim cover, fits dual rear wheel wheelwells
400-21-12	1	Heater 60K floor mount for Chevy units placed IN RIGHT HAND REAR CORNER OF BUS, includes 2 shutoff valves, BLEEDER VALVE
410-03-12	1	Heater shut off valve, cable operated with cable operator located on the dash, use on GM units only to relocate handle from under hood to dash.
420-500-10-14	1	Interior panels below window, embossed aluminum, standard floor 500 units.
422-031-15	1	Interior Panels Rear Wall DRW with Exit Door, with AC cutout.
430-500-100-13	1	Interior panels upper, smooth aluminum painted white for DRW 500 units.
440-01-12	1	Grabrail 42" long 1 1/4 dia. stainless, mounted left of entry on RH barrier, designed to prevent entanglement (Passes NHSTA string and nut test)
440-02-12	1	Grabrail 30" long 1 1/4 dia. stainless, mounted right of entry, designed to prevent entanglement (Passes NHSTA string and nut test)
440-04-12	1	Mirror interior clear view back bonded glass, rounded corners and protected edges, 6 x 30 flat. Installed above drivers head on front bulkhead. Interior mirror providing the driver a clear view of interior and rear exit door.

440-22-23	1	Vandal lock for Chevy, permits manual lock of rear emergency door from inside while bus not in use, with buzzer and visual indicator on panel. Engine will not start until lock is disengaged, warning buzzer will activate to alert driver lock is engaged.
450-03-18	1	Brake/tail lights LED with separate LED license plate light, (2) 4" flush mount
460-02-12	1	brake/tail lights, 2- 7" LED type
470-01-12	1	Clearance lights LED type; row of three red lights on rear of bus and single reds on left & right rear, row of three amber lights on front of bus with single ambers on left and right front sides. Lights are low profile grommet mount.
472-01-12	1	Four domelights are powered through the ignition, will only function when ignition is turned on and dome light switch is on.
474-01-12	1	Drivers dome light tied to OEM drivers door open circuit, comes on when drivers door is open, will time itself out when door is shut.
480-05-12	1	Lamps, turn signal amber LED rear 7"
490-01-12	1	Lamps, backup white (2) 4" flush mount LED
494-03-12	1	Lights, stepwell lights are illuminated by a DOD operated switch so as to light only when the headlights and clearance lights are on and the DOD is open.
500-02-01-12	1	Strobe light, roof mounted, low profile, dual flash, with switch. Power off ignition. Strobe located 1' from rear of bus.
510-00-12	1	Warning lamps, none
520-00-12	1	Electrical control panel for buses with no 4 or 8 light system.
540-05-12	1	Lights, turn signal, amber LED 2" below side bodyrail and behind entrance doors. Mount with armor.
565-12-1110-12	1	Remote Heated Rearview and Crossview mirror system w/ black bracketry for GM DRW buses. ROSCO AccuStyle 8"x15" dual Rearview mirror incl. 7"x9.5" flat and 7"x4" convex mirror glass, with Heated EyeMax LP Crossview mirrors.
580-03-202-12	1	Headknockers to comply with FMVSS 222; foam pads covered with gray fire block upholstery.
600-12-001-14	1	Paint body exterior white, Chevy DH/DE buses.

630-04-5-23	1	Radio, OEM supplied, 4 speakers. Provides tie-in harness to main chassis.
650-50020-23	1	Rubrails, floor level side rubrails , 4.6" tall X 16 ga steel.
652-50020-23	1	Rubrails, seat level side rubrails that wrap around the rear of the bus to the emergency door, 4.6" tall X 16 ga steel.
654-50020-23	1	Rubrails, window level side rubrails , 4.6" tall X 16 ga steel.-
656-50007-23	1	Skirt level rubrails, for use with 500 models
659-001-23	4	Rubrails painted white color.
660-12-12	1	Triangle warning reflectors (set of three).
660-22-12	1	Fire extinguisher, 5 lb., 3A 40BC with 10" hose and nozzle,, may only be mounted near entrance door.
660-31-12	1	Seat belt cutter, loaded loose in driver compartment.
670-902-12	1	Body fluids kit for AL, AR, CO, CT, KS, MA, MN, MO, ND, PA, SD, TX, WI, WY, WV
680-045-12	1	First aid kit 24 Unit for AK, AL, AR, AZ, CT, DE, FL, GA, IA, ID, IL, IN, KS, KY, LA, MA, ME, MI, MN, MO, MS, MT, NC, ND, NE, NH, NJ, NM, NV, OK, PA, RI, SD, TN, TX, UT, VT, WA, WY
690-3-01-36-202	1	Barrier, 36" left hand high back with medium gray fire block upholstery, leg at 27" position.
691-2-12	1	Barrier spacing LH to B-pillar, spacing provides energy absorption zone for 2 passengers per FMVSS222 with barrier placed behind B-pillar, must be selected when LH front seat accommodates 2 passengers.
700-3-01-36-202	1	Barrier, 36" right hand high back with medium gray fire block upholstery, no welting, leg at 27" position.
701-0-12	1	Barrier spacing RH to stepwell, none.
710-3-21-36-202	3	Seat, 36" left hand, two passenger without lap belts, with medium gray fire block vinyl upholstery, no welting. Leg at 27" position.
711-28-12	3	Seat spacing LH 28in hip/knee, maximum allowable to meet FMVSS 222 (school bus certification).
720-3-21-36-202	4	Seat, 36" right hand, two passenger without lap belts, with medium gray fireblock vinyl upholstery, no welting. Leg at 27" position.
721-28-12	4	Seat spacing RH 28in hip/knee, maximum allowable to meet FMVSS 222 (school bus certification).

730-01-14	7	Seat mounting hardware floor mount seats, required for each non-track-mount seat
760-22-001-12	1	Tape, reflective two inch white, outline sides/rear of DH/DE units
780-100-12	1	Signage, identification, "Collins"
800-04-12	1	Exterior decal 2" tall "EMERGENCY DOOR" in black/arrow in red. Interior decal 2" tall "EMERGENCY DOOR" in red/arrow in red.
810-422-12	1	Equip cage approximately 36"L x 27"W x 20"H, located in LH rear of bus. Made of 1.25" dia tubing. For SX,GX buses.
820-33-12	1	Wheel covers stainless steel.
840-01-12	1	No Stop Arm
860-01-12	1	Auxiliary fan two-speed, right side over windshield.
860-02-12	1	Roof vent, static with control grille.
870-01-001-12	1	Roof Hatch Transpec Low Profile Standard Safety Vent II Model 1975, 1" White Tape on Ext. Perimeter, Activate Buzzer when Opened w/ Ignition on, Emergency Exit Decals, Operating Instructions, Interior & Exterior Handles, Not Approved for Canada
925-01-12	1	Window Transition Chevy glass, AS2 tempered clear glass
950-113-12	1	Windows Rear Body with Rubber Mounted AS3 Tempered 32% Tinted Glass
960-13-12	1	Window Rear Door Lower Rubber Mounted AS3 Tempered 32% Tinted Glass
970-13-12	1	Window Rear Door Upper Rubber Mounted AS3 Tempered 32% Tinted Glass
980-213-12	10	Window Split Sash 36" with AS3 Tempered 26% Tinted Glass, providing an unobstructed 12 x 28 opening when upper sash is lowered.
982-2-100-1-12	1	Window Split Sash 36" RH and LH Vertical Egress Hinge, Release Handle, Buzzer, Interior/Exterior Signage, and White Exterior Reflective Tape.
985-02-12	1	Undercoat body components, chassis components such as driveline, brake lines, wiring, exhaust system are not undercoated.
986-03-14	1	Warranty, extended limited body, covers body shell, structure, seat structure for 5 YR/100K MI, manufacturer's components for 3 YR/36K MI, other components 3 YR/36K MI. Excludes corrosion due to road chemicals. See warranty policy for full details.
987-00-22	1	Reassignment Chassis, None

Unit File Name: \\shkfile1.revginc.net\BUS-SHK\_OrderEnt\Units Folder\88000\88771\Cu  
Option file name: \\shkfile1.revginc.net\BUS-SHK\_OrderEnt\BConfig\OptionDataV200\Op  
Form EF-7.7.2 V4.2 generated on: 1/11/2024 by RMORRELL

Quotes valid for 30 days.

Approval \_\_\_\_\_ Date \_\_\_\_\_